


Elongated Fittings



Code: 069

- Reducer excentric
- long spigot
- W/P-TW
- injection moulded
- **Butt + E-socket-welding**
- **PE 100-RC black**

| Dimension | Code | Detail | da(OD) mm | da(OD1) mm | s mm | L mm | s1 mm | Weight |
|-----------|----------------|--------------------|--------------|---------------|---------|---------|----------|--------|
| 63/50 | 70.069.6350.17 | 63/50 SDR17 PN10 | 63 | 50 | 3,8 | 173 | 3 | 0.11 |
| 75/50 | 70.069.7550.17 | 75/50 SDR17 PN10 | 75 | 50 | 4,5 | 195 | 3 | 0.17 |
| 75/63 | 70.069.7563.17 | 75/63 SDR17 PN10 | 75 | 63 | 4,5 | 195 | 3,8 | 0.16 |
| 90/63 | 70.069.9063.17 | 90/63 SDR17 PN10 | 90 | 63 | 5,4 | 216 | 3,8 | 0.25 |
| 90/75 | 70.069.9075.17 | 90/75 SDR17 PN10 | 90 | 75 | 5,4 | 219 | 4,5 | 0.28 |
| 110/63 | 70.069.1163.17 | 110/63 SDR17 PN10 | 110 | 63 | 6,6 | 246 | 3,8 | 0.41 |
| 110/90 | 70.069.1190.17 | 110/90 SDR17 PN10 | 110 | 90 | 6,6 | 241 | 5,4 | 0.46 |
| 125/63 | 70.069.1263.17 | 125/63 SDR17 PN10 | 125 | 63 | 7,4 | 265 | 3,8 | 0.57 |
| 125/90 | 70.069.1290.17 | 125/90 SDR17 PN10 | 125 | 90 | 7,4 | 264 | 5,4 | 0.63 |
| 125/110 | 70.069.1211.17 | 125/110 SDR17 PN10 | 125 | 110 | 7,4 | 264 | 6,6 | 0.68 |
| 140/125 | 70.069.1412.17 | 140/125 SDR17 PN10 | 140 | 125 | 8,3 | 285 | 7,4 | 0.94 |
| 160/90 | 70.069.1690.17 | 160/90 SDR17 PN10 | 160 | 90 | 9,5 | 310 | 5,4 | 1.11 |
| 160/110 | 70.069.1611.17 | 160/110 SDR17 PN10 | 160 | 110 | 9,5 | 310 | 6,6 | 1.18 |
| 160/125 | 70.069.1612.17 | 160/125 SDR17 PN10 | 160 | 125 | 9,5 | 310 | 7,4 | 1.27 |
| 160/140 | 70.069.1614.17 | 160/140 SDR17 PN10 | 160 | 140 | 9,5 | 309 | 8,3 | 1.30 |
| 180/90 | 70.069.1890.17 | 180/90 SDR17 PN10 | 180 | 90 | 10,7 | 342 | 5,4 | 1.64 |
| 180/125 | 70.069.1812.17 | 180/125 SDR17 PN10 | 180 | 125 | 10,7 | 353 | 7,4 | 1.77 |
| 180/160 | 70.069.1816.17 | 180/160 SDR17 PN10 | 180 | 160 | 10,7 | 340 | 9,5 | 1.88 |
| 200/160 | 70.069.2016.17 | 200/160 SDR17 PN10 | 200 | 160 | 11,9 | 373 | 9,5 | 2.34 |
| 200/180 | 70.069.2018.17 | 200/180 SDR17 PN10 | 200 | 180 | 11,9 | 370 | 10,7 | 2.56 |
| 225/160 | 70.069.2216.17 | 225/160 SDR17 PN10 | 225 | 160 | 13,4 | 400 | 9,5 | 3.00 |
| 225/180 | 70.069.2218.17 | 225/180 SDR17 PN10 | 225 | 180 | 13,4 | 400 | 10,7 | 3.31 |
| 225/200 | 70.069.2220.17 | 225/200 SDR17 PN10 | 225 | 200 | 13,4 | 400 | 11,9 | 3.47 |
| 250/200 | 70.069.2521.17 | 250/200 SDR17 PN10 | 250 | 200 | 14,8 | 440 | 11,9 | 4.42 |
| 250/225 | 70.069.2522.17 | 250/225 SDR17 PN10 | 250 | 225 | 14,8 | 445 | 13,4 | 4.60 |
| 25/20 | 70.069.2520.11 | 25/20 SDR11 PN16 | 25 | 20 | 3 | 103 | 3 | 0.02 |
| 32/25 | 70.069.3225.11 | 32/25 SDR11 PN16 | 32 | 25 | 3 | 114 | 3 | 0.03 |
| 40/25 | 70.069.4025.11 | 40/25 SDR11 PN16 | 40 | 25 | 3,7 | 126 | 3 | 0.04 |

| Dimension | Code | Detail | da(OD) mm | da(OD1) mm | s mm | L mm | s1 mm | Weight |
|-----------|----------------|--------------------|--------------|---------------|---------|---------|----------|--------|
| 40/32 | 70.069.4032.11 | 40/32 SDR11 PN16 | 40 | 32 | 3,7 | 125 | 3 | 0.05 |
| 50/32 | 70.069.5032.11 | 50/32 SDR11 PN16 | 50 | 32 | 4,6 | 156 | 3 | 0.08 |
| 50/40 | 70.069.5040.11 | 50/40 SDR11 PN16 | 50 | 40 | 4,6 | 157 | 3,7 | 0.09 |
| 63/32 | 70.069.6332.11 | 63/32 SDR11 PN16 | 63 | 32 | 5,8 | 177 | 3 | 0.14 |
| 63/40 | 70.069.6340.11 | 63/40 SDR11 PN16 | 63 | 40 | 5,8 | 177 | 3,7 | 0.15 |
| 63/50 | 70.069.6350.11 | 63/50 SDR11 PN16 | 63 | 50 | 5,8 | 177 | 4,6 | 0.16 |
| 75/50 | 70.069.7550.11 | 75/50 SDR11 PN16 | 75 | 50 | 6,8 | 195 | 4,6 | 0.23 |
| 75/63 | 70.069.7563.11 | 75/63 SDR11 PN16 | 75 | 63 | 6,8 | 197 | 5,8 | 0.26 |
| 90/63 | 70.069.9063.11 | 90/63 SDR11 PN16 | 90 | 63 | 8,2 | 213 | 5,8 | 0.38 |
| 90/75 | 70.069.9075.11 | 90/75 SDR11 PN16 | 90 | 75 | 8,2 | 214 | 6,8 | 0.40 |
| 110/63 | 70.069.1163.11 | 110/63 SDR11 PN16 | 110 | 63 | 10 | 244 | 5,8 | 0.59 |
| 110/90 | 70.069.1190.11 | 110/90 SDR11 PN16 | 110 | 90 | 10 | 244 | 8,2 | 0.67 |
| 125/63 | 70.069.1263.11 | 125/63 SDR11 PN16 | 125 | 63 | 11,4 | 268 | 5,8 | 0.82 |
| 125/90 | 70.069.1290.11 | 125/90 SDR11 PN16 | 125 | 90 | 11,4 | 265 | 8,2 | 0.91 |
| 125/110 | 70.069.1211.11 | 125/110 SDR11 PN16 | 125 | 110 | 11,4 | 260 | 10 | 0.98 |
| 140/125 | 70.069.1412.11 | 140/125 SDR11 PN16 | 140 | 125 | 12,7 | 283 | 11,4 | 1.32 |
| 160/90 | 70.069.1690.11 | 160/90 SDR11 PN16 | 160 | 90 | 14,6 | 309 | 8,2 | 1.52 |
| 160/110 | 70.069.1611.11 | 160/110 SDR11 PN16 | 160 | 110 | 14,6 | 305 | 10 | 1.63 |
| 160/125 | 70.069.1612.11 | 160/125 SDR11 PN16 | 160 | 125 | 14,6 | 309 | 11,4 | 1.69 |
| 160/140 | 70.069.1614.11 | 160/140 SDR11 PN16 | 160 | 140 | 14,6 | 308 | 12,7 | 1.88 |
| 180/90 | 70.069.1890.11 | 180/90 SDR11 PN16 | 180 | 90 | 16,4 | 348 | 8,2 | 2.26 |
| 180/125 | 70.069.1812.11 | 180/125 SDR11 PN16 | 180 | 125 | 16,4 | 345 | 11,4 | 2.46 |
| 180/160 | 70.069.1816.11 | 180/160 SDR11 PN16 | 180 | 160 | 16,4 | 345 | 14,6 | 2.78 |
| 200/160 | 70.069.2016.11 | 200/160 SDR11 PN16 | 200 | 160 | 18,2 | 373 | 14,6 | 3.32 |
| 200/180 | 70.069.2018.11 | 200/180 SDR11 PN16 | 200 | 180 | 18,2 | 373 | 16,4 | 3.67 |
| 225/160 | 70.069.2216.11 | 225/160 SDR11 PN16 | 225 | 160 | 20,5 | 402 | 14,6 | 4.37 |
| 225/180 | 70.069.2218.11 | 225/180 SDR11 PN16 | 225 | 180 | 20,5 | 403 | 16,4 | 4.62 |
| 225/200 | 70.069.2220.11 | 225/200 SDR11 PN16 | 225 | 200 | 20,5 | 403 | 18,2 | 4.95 |
| 250/200 | 70.069.2521.11 | 250/200 SDR11 PN16 | 250 | 200 | 22,7 | 440 | 18,2 | 6.28 |
| 250/225 | 70.069.2522.11 | 250/225 SDR11 PN16 | 250 | 225 | 22,7 | 440 | 20,5 | 6.84 |